

FinProtectant™

Clear, Coil Coating Spray

SPECIALIST



READY TO USE



KEY FEATURES

Easy to use

Does Not Affect Heat Transfer

Prevents Rust & Corrosion

Ideal For Salt Air Environments

Part #	Product	QTY	Size
B-7900	Clear Coil Coating	4	1 Gal Cans



Fin Protectant is a specially formulated coating containing acrylic polymers and anti-corrosion agents designed to protect painted or unpainted metals from rust and corrosion. Fin Protectant seals and protects aluminum, copper, brass, bronze, chrome, galvanized metal, titanium and stainless steel. It is ideally suited for use on air cooled condensers located in corrosive environments such as paper mills, chemical plants, airports, adjacent to freeways and salt air areas.

Directions For Use: Clean condenser thoroughly, allow to dry completely. Shake can vigorously for at least 15 seconds. Protect surrounding areas from over-spray. Apply with paint spraying equipment suitable for flammable materials. Spray with sweeping motions 6-10 inches from surface to be treated. Several thin coats are better than one thick coat. Dries dust free in 30 minutes. Can be handled after one hour. Apply only when temperature is above 40°F (4.4°C) and equipment to be treated is dry.

DANGER: Highly flammable liquid and vapor. Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. Causes eye irritation. May cause drowsiness or dizziness. May cause damage to organs (central nervous system) through prolonged or repeated exposure. Suspected of damaging fertility or the unborn child. Toxic to aquatic life.

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. Do not eat, drink or smoke when using this product. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Do not breathe gas/fumes/mist/vapor/spray. Wear protective gloves/protective clothing/eye protection/face protection. Use only outdoors or in a well-ventilated area. Wash thoroughly after handling. Avoid release to the environment. In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

FIRST AID: IF SWALLOWED: Immediately call a poison center/doctor. Do NOT induce vomiting. Rinse mouth. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Get medical advice/attention if you feel unwell. If exposed or concerned: Call a poison center/doctor.

Store container tightly closed in well-ventilated place. Keep cool. Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

WARNING: This product can expose you to chemicals including toluene, which are known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

Contains [CAS]: Toluene [108-88-3], acrylic polymers [not hazardous].

