Hydro-Coil Concentrate

BHydroBalance



KEY FEATURES

Evaporator Coil Cleaner, Self-Rinsing

Cleans and Treats Evaporator Coils for Maximum Efficiency

Eliminates Slime in Condensate Areas



MAKES UP TO

Retards Future Dirt Accumulation

Part #	Product	QTY	Size
H-401	Condenser Cleaner	4	1 Gal Bottle
H-405	Condenser Cleaner	1	5 Gal Pail



(Window Units, Small Central Units)1. Read entire label & Safety Data Sheet before use.		DANGER: Causes severe skin burns and eye damage. Do not breathe mist/vapors/spray. Wash face, hands, and any exposed skin thoroughly after handling. Wear protective		
		gloves/protective clothing/eye protection/face protection.		
3. Shut unit off.				
4. Spray coil thoroughly using a coa	rse spray to avoid misting.			
5. Wait 5 minutes and resume normal operation.		FIRST AID: IF SWALLOWED: Rinse mouth. Do NOT induce	\mathbf{A}	
6. No rinsing is required when condensation is present. If condensation is not expected, rinse with water.		vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. IF INHALED: Remove		
application. Spray intake side of coil wi run off point. (Suction of system will ca and contamination will drain as conde	use complete coil penetration.) Refuse nsate. If it is not possible to leave air-flow ughly and turn air on immediately after	IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/Doctor.		
		Store locked up. Dispose of contents and container in accordance with all log and national regulations.	cal, regional,	
Mix 1 Part (Cleaner With:	Contains [CAS#]: Sodium metasilicate [6834-92-0], dipropylene glycol monomethyl eth [34590-94-8].		
6 Parts Water	Normal Use			





HYDRO-BALANCE CORPORATION 519 HUFFINES BLVD. LEWISVILLE, TX 75056 (800) 527-5166 | (972) 394-9422 HydroBalance.com

